

LAFORTE® 100 Paper OOH

Technical Specifications

| | | |
|---------------------------|---|---|
| Ph Technology | Drop on-demand Piezo inkjet technology | |
| Printhead | Type | 2.556 nozzle - 2 colour, Water based |
| | Drop Size | 4pl to 72pl |
| | Number of printheads | 4pcs or 8pcs |
| Printing Width | Max. | 1800mm |
| | Min. | 1200mm |
| Print Mode | Resolution | 600x300, 600x600, 600x900, 600x1200, 900x600, 900x900, 1200x1200 |
| | Passes | 1/2/3/4/6/8 (uni and bi-directional) |
| | Operating temperature | 20°C to 30°C (68°F to 86°F) |
| | Humidity | From 35% to 60% RH (no condensation) |
| Environmental conditions | Recommended printing environment | Temperature 22°C to 28°C (71.6°F to 82.4°F) Humidity 40% |
| | Recommended Storage environment | 16°C to 38°C (60.8°F to 100.4°F) Store the printer filled with ink |
| | Operating environment | Traditional place dust proof |
| Ink | Tank Capacity | 5kg/10Kg/20Kg |
| | aleph® inks | Graphic Pigment A22™ |
| Size | 4680 (W) x 1550 (D) x 2250 (H) mm | |
| Weight | 2300 Kg | |
| Power | Voltage | 400 V ± 10%, 3 Phase + neutral + Earth, 32A |
| | Frequency | 50-60Hz |
| | Power consumption | 12 KW – average running consumption 6Kwh |
| Compressed Air | Compressed air supply | 8 bar |
| | Air supply quality | Standard ISO 8573.1 – class 2,4,3 |
| | Air consumption | Max. 250 L/h |
| Belt system | aleph® Rotary Vacuum belt (patented system) | |
| Feeding System (standard) | Max. roll size Ø | 0.5mt diameter / 250Kg |
| | Pneumatic roll bar | 3 inch standard (6 inch optional) |
| Feeding System (optional) | Max. roll size Ø | 1.2mt diameter / 1.5 tons |
| | Pneumatic roll bar | 3 inch standard (6 inch optional) |
| Take Up unit (optional) | Max. roll size Ø | 0.5mt diameter / 250 Kg |
| | Pneumatic roll bar | 3 inch standard (6 inch optional) |

aleph® inks

A22 - graphic pigment ink

| Ink Colour | Substrate Compatibility |
|-----------------|-------------------------|
| ● Black | Blue Back paper ● |
| ● Cyan | White Back paper ● |
| ● Magenta | Poster Paper ● |
| ● Yellow | Wall paper ○ |
| ● Light Cyano | Corrugate ○ |
| ● Light Magenta | Graphic Film ○ |

A22SP - graphic pigment ink

| Ink Colour | Substrate Compatibility |
|-----------------|-------------------------|
| ● Black | Melaminic Paper ● |
| ● Cyan | Graphic film ● |
| ● Magenta | |
| ● Yellow | |
| ● Light Cyano | |
| ● Light Magenta | |

● Recommended Use | ○ Potential Use



4 colours 2xCMYK
6/8 colours 2x



8 heads / 1 row / 16 colour line

Speed



4x4 colours **Up to 280 sqm/h**

1x8 | 1x6 colours **Up to 140 sqm/h**



* All the printing speeds have been calculated based on 1500mm-width printer and may vary depending on the substrates, the level of the quality and the selected print width.

Key Features

| Technology Highlights | Distinctive Features |
|---|--|
| <ul style="list-style-type: none"> ✓ Superior Productivity - Up to 280 sqm/h ✓ Superior Printing Quality - Variable drop technology - Resolution up to 1200 dpi - Dynamic Stitching Technology (DST) for high-quality multi-pass printing ✓ Dual-Channel Printheads - 2 colours per printhead - Drastically reduced maintenance costs due to the smaller number of printheads - High speed and accurate jetting ✓ Pioneering Media Feeding System - Proprietary Rotary vacuum belt - Advancement accuracy 40 microns - Enabling more stability and eradicating elongation for superior quality ✓ Extremely low energy consumption reducing overall sustainable impact | <ul style="list-style-type: none"> ✓ Anti-mist technology & solvent free printing - Healthy environment for the operator - No solvent and glue used on belt ✓ Ink Supply System - Automatic negative pressure control - Negative pressure control system on each ink line - Ink tanks from 5kg to 20kg per colour - Plug & Play Ink Tanks ✓ Reliable and accurate motion - Magnetic linear motor and double rail for carriage stability - Aluminum bridge 0.02 mm torsion/deflection - Safety system - preventing printheads from collision with the substrates ✓ Service - Remote System Control/Assistance - IoT Support - Easy Maintenance ✓ Workflow - Interfacing with aleph, Inedit, Ergosoft, Caldera, Onyx |




Integrated Production Line



Full-line Configuration

- The setting is available for all printer models
- Accessories are available as optional



aleph Srl
Via Giotto, 26
22075 Lurate Caccivio (CO) - Italia
T. +39 031 575902
F. +39 031 3385098

www.alephteam.com
sales@alephteam.com



Superior Print Quality

Advanced Eco-friendly Technology

Comprehensive, Integrated Solution Enabling Top Performances

Energy-Saving Production Process



MADE IN ITALY

aleph

In printing, we care

aleph specialises in developing and manufacturing advanced direct-to-fabric and direct to paper inkjet printers for the textile and visual communication industries and provides its customers with total, integrated solutions.

Founded in 1999 and headquartered at the heart of the Italian textile district of Como, the company has grown to become one of the leading international players in the digital printing space. With a dedicated sales force and a widespread distribution network, aleph operates in key textile and out-of-home markets across the globe.

The company's extensive experience in the textile industry has enabled aleph to progressively expand the offer and boost the service, with the final goal to actively contribute to customers' success. aleph offers integrated printing solutions, featuring proprietary software, cutting-edge digital printers, as well as drying systems and consumables.

aleph's green policy focuses on environmental and social sustainability. With the company steadily focused on innovation, aleph's customers can benefit from cost-effective technologies with reduced environmental impact and designed to increase the users' green reputation.

LAFORTE Paper® Series



LAFORTE 200



LAFORTE 400



LAFORTE 600

Cost-effective Industrial Digital Printer for Billboard and Poster

aleph[®]
in printing, we care