LAFORTE® 400 Fabric

Technical Specifications

Ph Technology	Drop on-demand Piezo inkjet technology				
	Туре	2.556 nozzle - 2 colour, Water based			
Printhead	Drop Size	4pl to 72pl			
	Number of printheads	16pcs			
Printing Width	Max.	1800mm / 2200mm			
	Min.	100mm			
Print Mode	Resolution	600x300, 600x600,600x900, 600x1200, 900x600, 900x900, 1200x1200			
	Passes	1/2/3/4/6/8 (uni and bi-directional)			
	Operating temperature	20°C to 30°C (68°F to 86°F)			
Environmental conditions	Humidity	From 35% to 60% RH (no condensation)			
	Recommended printing environment	Temperature 22°C to 28°C (71.6°F to 82.4°F) Humidity 40%			
	Recommended Storage environment	16°C to 38°C (60.8°F to 100.4°F) Store the printer filled with ink			
	Operating environment	Traditional place dust proof			
	Tank Capacity	5kg/10Kg/20Kg			
Ink	aleph® inks	Acid, Disperse,Reactive, Nano TX Pigment M22 TM			
Size	4600 (W) × 2200 (D) × 240	00 (H) mm			
Weight	3400 kg (1850 mm) - 3.700 Kg (2200 mm)				
Power	Voltage	400 V ± 10%, 3 Phase + neutral + Earth, 32A			
	Frequency	50-60Hz			
	Power consumption	12 KW – average running consumption 6Kwh			
Compressed Air	Compressed air supply	8 bar			
	Air supply quality	Standard ISO 8573.1 – class 2,4,3			
	Air consumption	Max. 250 L/h			
Water	Water pressure	Min. 4 bar max. 5bar			
	Water flow rate	Max. 100 litres per hour			
Belt system	Rotary Sticky belt				
Feeding System (standard)	Max. roll size Ø	0.5mt diameter / 200Kg			
	Pneumatic roll bar	2 inch standard (3 inch optional)			
Feeding System (optional)	Max. roll size Ø	1.5mt diameter / 1 tons			
Take Up wait	Max. roll size Ø	0.5mt diameter / 200 Kg			
Take Up unit (optional)	Pneumatic roll bar	2 inch standard			

aleph® inks

Substrate Compatibility

	Pigment	Reactive	Acid	Disperse
Nylon	0	0	•	0
Nylon Lycra	0	0	•	0
Polyester	0			•
Silk	0	0	•	
Cotton	•	•		
Polycotton	•			
Viscose/Rayon	•	•		
Linen	•	•		
Wool	0	0	•	
		• Pecon	nmandad I Isa	I o Potential I I

Ink Colour

Pigment in	ks						
Black	Cyan	Magenta	Yellow	Orange	Green	Red	Violet
Reactive							
Black	Cyan	Magenta	Yellow	Red	Orange	Blue	Light Black
Acid							
Black	Cyan	Magenta	Yellow	Red	Orange	Blue	Light Black
Disperse							
Black	Cyan	Magenta	Yellow	Violet	Red	Orange	Grey











2xCMYK







16 heads / 4row / 32 colour line

Speed



Up to **630 sqm/h**

1x8 | 1x6 colours

Up to **480 sqm/h**

Key Features

Technology Highlights

Superior Productivity

- Up to 630 sqm/h

✓ Superior Printing Quality

- Variable drop technology - Resolution up to 1200 dpi
- Dynamic Stitching Technology (DST) for high-quality multi-pass printing

✓ Dual-Channel Printheads

- 2 colours per printhead
- Drastically reduced maintenance costs due to the smaller number of printheads

LAFORTE400

- High speed and accurate jetting

✓ Pioneering Media Feeding System

- Rotary sticky belt
- Advancement accuracy 40 microns
- Enabling more stability and eradicating elongation for superior quality
- ✓ Extremely low energy consumption reducing overall sustainable impact

Distinctive Features

✓ Ink Supply System

- Automatic negative pressure control

✓ Reliable and accurate motion

- Magnetic linear motor and double rail for carriage stability
- Aluminum bridge 0.02 mm torsion/deflection

✓ Service

- Remote System Control/Assistance
- IoT Support

aleph

✓ Anti-mist technology & solvent free printing

- Healthy environment for the operator


- Negative pressure control system on each ink line - Ink tanks from 5kg to 20kg per colour
- Plug & Play Ink Tanks

- Safety system preventing printheads from collision with

- Easy Maintenance

✓ Workflow

- Interfacing with aleph, Inedit, Ergosoft, Caldera, Onyx



(2.656 nozzles – 2 colours – Resolution up to 1200 dpi)

Dual-Channel Printheads 2 colours for printhead enabling high print

accuracy with smaller number of printhead

Cutting-edge Sublimation Inks

4/6/8 colours Ink tank capacity: 5/10/20 kg/lt





DST – Dynamic Stitching Technology for high-quality multi-pass printing

Anti-mist technology & Solvent-free printing




User-friendly Touch Panel and Ethernet 1/10 GB Interface

Low power consumption

^{*} All the printing speeds are calculated based on 1500mm-width printer and may vary depending on the substrates, the level of the quality and the selected print width.

Integrated Production Line



- The setting is available for all printer models
- Accessories are available as optional

aleph

In printing, we care

aleph specialises in developing and manufacturing advanced direct-to-fabric and direct to paper inkjet printers for the textile and visual communication industries and provides its customers with total, integrated solutions.

Founded in 1999 and headquartered at the heart of the Italian textile district of Como, the company has grown to become one of the leading international players in the digital printing space. With a dedicated sales force and a widespread distribution network, aleph operates in key textile and out-of-home markets across the globe.

The company's extensive experience in the textile industry has enabled aleph to progressively expand the offer and boost the service, with the final goal to actively contribute to customers' success. aleph offers integrated printing solutions, featuring proprietary software, cutting-edge digital printers, as well as drying systems and consumables.

aleph's green policy focuses on environmental and social sustainability. With the company steadily focused on innovation, aleph's customers can benefit from cost-effective technologies with reduced environmental impact and designed to increase the users' green reputation.



LAFORTE Fabric® Series









LAFORTE 600

Advanced Industrial Digital Textile Print Solution

